





HOMI DIVX JVC Smartphone Control Paining Siri Cott USB Harmond Control Paining Eyes Free Law Charging Spread Country Country

BT Audio

JAC

PM 2016 THU,May.26

Phone

BT Audio

All models are compatible with iPod/iPhone.

KW-V620BT

6.8-inch Clear Resistive Touch Panel with DVD/CD/USB Receiver, HDMI Input and Built-in Bluetooth® Wireless Technology











☐ iPod ☐ iPhone










6.8-inch Clear Resistive Touch Panel with DVD/CD/USB Receiver and Built-in Bluetooth®









KW-V320BT

Wireless Technology



















[KW-V820BT/V620BT/V320BT]

































Apple CarPlay

Apple CarPlay

CarPlay takes the things you want to do with your iPhone and puts them on the big screen. Things get even better with a JVC multimedia receiver - simply talk to Siri or touch the receiver's display and get directions from Apple Map, make phone calls, listen to voicemail, send and receive texts, and listen to music all in a way that allows you to stay focused on the road.

Note: Apple CarPlay is available with iPhone 6 Plus, iPhone 6, iPhone 6s, iPhone 6s Plus, iPhone 5s, iPhone 5c or iPhone 5 with iOS 7.1 or newer

















6.8" Clear Resistive Touch Control (6.2" WVGA Monitor)

Larger Display with Minimalist Design

JVC's new multimedia models with 6.8" Clear Resistive Touch Panel features a dedicated Touch Control Key area and a high-resolution WVGA display. Sleek, minimalist design turns the entire face of the unit black when the ignition is turned off, so it meshes seamlessly with the interior. Turn it back on and the high-visibility 6.8" display reappears like magic with images you'll



Face plate fades into the shadows when ignition is turned off.



Power OFF Clear Resistive Touch Panel with Easy-to-see GUI

The clear resistive touch panel with high-transparency and high-luminance makes icons easy to see and functions easy to use. Enjoy intuitive operation thanks to the easy-to-use GUI design with large key layout.











KW-V220BT

6.2-inch WVGA Touch Panel Monitor with DVD/ CD/USB Receiver and Built-in Bluetooth® Wireless Technology



















iPhone®/Android™ Bluetooth Automatic Pairing



Just connect your iPhone or Android device* via USB and the automatic Bluetooth pairing function will work to complete the pairing. No complicated manual procedure to worry about.





2 Phones Full-Time Connection [KW-V820BT/V320BT/V220BT]



You can connect two phones full time via Bluetooth, with secure and simple pairing. Calls to either phone can be received by a push of a key on the head unit.







Bluetooth Voice Recognition

Siri Eves Free Mode for iPod/iPhone

□iPod □iPhone

Siri CALL Eves Free Allows access to the Siri voice-activated personal assistant while keeping your hands on the steering wheel and eyes on the road. No need to touch your iPhone to play back stored music or make calls to registered numbers.

Improved Sound Quality with HFP 1.6 Wideband Speech

Improved sound quality thanks to HD Voice contributes to a higher level of voice recognition accuracy.

Bluetooth AVRCP1.5 for Versatile Song Selection

In addition to repeat and random playback of music files, you can also easily search for songs using the browsing function. Just look for and choose the song you want to hear from the folder name and song name lists.

Android™ Music Playback via USB (AUTO MODE/AUDIO MODE)

[KW-V320BT/V220BT]



Simply connect your Android smartphone or tablet to the receiver via USB and enjoy a totally "plug and play" music playback solution. The Android Open Accessory Protocol (AOA2) is supported so absolutely no preparation or set-up is necessary – just plug it in and it's ready to play audio files stored on your Android device in what's called "AUDIO MODE". Or, by installing the free JVC Music Play app available on Google Play, you'll be able to access "AUTO MODE" for added functionality including Folder Up & Down, and Search Artist/Album/Song.



Please visit the JVC Support Site for further information including firmware update. http://www.jvc.net/cs/car/






DAB+/DMB-Audio

KW-V215DBT offers a built-in DAB tuner. Enjoy digital radio broadcasts from DAB+/DMB-Audio stations with the included aerial.

Seamless Blending

Normally, DAB is delayed by a few seconds compared to the FM broadcast. The unit will delay the FM in order to provide seamless switching between DAB and FM.



Monitor Touch Control

Just touch and move your finger over the screen for various operations corresponding to your finger movements. Intuitive control provides safer operation for in-car entertainment.



Rapidly charge your Android smartphone using the USB port, with up to a maximum of 1.5A.

Multilingual Display (17 Languages)

High Current 1.5A Charging

JVC Multimedia Receivers feature a Multilingual Display selectable in English, Spanish, French, German, Italian, Dutch, Russian, Portuguese, Simplified Chinese, Traditional Chinese, Thai, Turkish, Arabic, Persian, Hebrew, Malay, and Indonesian.






High-Resolution Audio Playback

[KW-V820BT]

You can enjoy playback of 96kHz/24bit audio which contains about 3 times the musical information of music CDs (44.1kHz/16bit), or even 192kHz/24bit High-Resolution Audio files with their approx. 6.5 times data volume. With high sound quality approaching the original master recording itself, you will experience the presence and ambience of a tune the way CD simply cannot.



TECHNOLOGY

K2 Technology for Enhanced Digital Sound Quality

K2 is a JVCKENWWOD's original technology that reproduces the original master sound by expanding the bit rate and frequency range. K2 is compatible with all sources including CD. For example, K2 will expand the digital data of the audio CD recorded

at 44.1kHz/16 bit to 48 kHz/24 bit, and recreate the high-frequency range above 20kHz that is cut during the CD formatting.



Time Alignment

By selecting the speaker type and the distance to the centre of the listening position, the head unit will automatically adjust the timing of the sound output from each of the speakers so that the sound from each of the speakers will arrive exactly at the same time to the listening position.



[KW-V820BT/V320BT/V220BT]

Sound Lift

[KW-V820BT/V320BT/V220BT]

Virtually manipulate the height of the speakers by adjusting the sound frequencies.



Sound Response

[KW-V820BT/V320BT/V220BT]

This function boosts the low frequencies which can be lost during compression to MP3, WMA or AAC.

LEVEL 3

LEVEL 2

LEVEL 1

OFF

Space Enhancement

[KW-V820BT/V320BT/V220BT]

Space Enhancement is a virtual surround technology using 2 speakers. Just select the vehicle size, and the head unit automatically adjusts the sound effectively.

LARGE

MEDIUM

Volume Link EQ

Volume Link EQ boosts specific frequencies in the audio signal to compensate for the impact of road noise. It boosts frequencies in the music that are affected by road noise.

13-Band Equaliser

[KW-V820BT/V320BT/V220BT]



Use the 13-Band Equaliser to manually adjust the sound to your taste.

Q Eq	ualize	_	USB					[^] 1:30				
Equality		П	Us	er		×		Factor			1.50	E
	Т	Т	Т	Г	Г	Г						E
				H	F							
5			Ħ									
42.5 TO	9 16	250	400	430	Ļ,	148	2.5k	Ļ	63k	10k	16k	946
	ans Đ	ır 🖺	ON		OFF		T	EQI		1		
	SWLp	4		0	•		Ī	ALL S	RC	1	-	4

Please visit the JVC Support Site for further information including firmware update. http://www.jvc.net/cs/car/



	Screen	Variable Colour Key Illumination	Monitor Touch Control	Apple CarPlay	Smartphone Control for Android (via Bluetooth HID)	Android Music Playback via USB	Android Video Playback	iPod/iPhone Music Playback	iPod/iPhone Video Playback
KW-V820BT	6.8" Clear Resistive Touch Panel	•	•	•	-	-	-	(USB)	-
KW-V620BT	6.8" Clear Resistive Touch Panel	•	•	-	● ×1	-	* 1	(USB)	●*3
KW-V320BT	6.8" Clear Resistive Touch Panel	•	•	-	-	(AUTO MODE*2/ AUDIO MODE)	-	(USB)	-
KW-V220BT	6.2" WVGA	-	•	-	-	(AUTO MODE*2/ AUDIO MODE)	-	(USB)	-
KW-V215DBT	6.2" WVGA	-	•	-	-	-	-	(USB)	-


	Built-in Bluetooth	Siri Eyes Free Mode for iPhone	iPhone/Android Automatic Bluetooth Pairing (via USB)	2 Phones Full Time Connection	DAB Tuner Built-in	USB Port	USB Video Format	USB Audio Format	AV In/Out
KW-V820BT	Audio Streaming	•	iPhone Only	•	-	Rearx2 (1.5A)	AVI/MKV/H.264/WMV/ MPEG1,2/MPEG4	FLAC/AAC/MP3/ WMA/WAV	1/1
KW-V620BT	Audio Streaming	•	iPhone Only	-	_	Rear (1.0A)	AVI/MKV/H.264/WMV/ MPEG1,2/MPEG4	FLAC/AAC/MP3/ WMA/WAV	1/1
KW-V320BT	Audio Streaming	•	* 2	•	-	Rear (1.5A)	MPEG1,2/DivX	AAC/MP3/WMA/ WAV	1/1
KW-V220BT	Audio Streaming	•	* 2	•	-	Front (1.5A)	MPEG1,2/DivX	AAC/MP3/WMA/ WAV	1/1
KW-V215DBT	Audio Streaming	•	iPhone Only	-	•	Rear (1.0A)	MPEG1,2/DivX	MP3/WMA/WAV	1/1

	Audio Preout	High-Resolution Audio (192kHz/24bit)	K2 Technology	EQ/Preset EQ	Steering Wheel Remote Ready	Rear View Camera Input	Remote Control
KW-V820BT	3-Preout (4.0V)	•	•	13-Band/ 8-Preset	•	•	Ready (RM-RK258 required)
KW-V620BT	3-Preout (4.0V)	-	-	3-Band Parametric/ 7-Preset	•	•	Ready (RM-RK258 required)
KW-V320BT	3-Preout (4.0V)	-	•	13-Band/ 8-Preset	•	•	Ready (RM-RK258 required)
KW-V220BT	3-Preout (4.0V)	-	•	13-Band/ 8-Preset	•	•	Ready (RM-RK258 required)
KW-V215DBT	3-Preout (4.0V)	-	-	5-Band Parametric/ 11-Preset	•	•	Ready (RM-RK258 required)

Required Cables for Connecting Smartphones

		iPhone 6/6 Plus	, iPhone 5/5s/5c			Android (4.1 or later)	
			Ap	ps			Apps
	Music	Video	CarPlay	Smartphone Control for iPhone/iPod	Music	Video	JVC Smartphone Control
KW-V820BT	KS-U62	-	KS-U62	-	Streaming via Bluetooth	-	-
KW-V620BT	KS-U62	KS-U60*1	-	KS-U60*1	Streaming via Bluetooth	With HDMI: KS-U60*2 With MHL: KS-U61	With HDMI: KS-U60*2 With MHL: KS-U61
KW-V320BT	KS-U62	-	-	_	USB or Bluetooth	-	-
KW-V220BT	KS-U62	-	-	-	USB or Bluetooth	-	-
KW-V215BT	KS-U62	-	-	-	Streaming via Bluetooth	-	-

Optional Accessories



Wireless Remote Control for Multimedia Receivers



¹¹ KS-U60 required for Android devices with HDMI, KS-U61 required for Android devices with MHL. Compatibility depends on Smartphone.
22 Requires JVC Music Play Application. For Android ver. 4.1 and above.
37 SK-U60 and Applic Uptiming Digital A Madager (or Phone 5) or KS-U59 (for Pod., Phone 4/4s) required for Video playback/App Link Mode. Compatibility depends on iPod/iPhone.



Keep the Music Rolling Wherever You're Going

Get your music on the road, whether it's on CDs or stored on your smartphone or memory device. Plug your music in directly or send it wirelessly to your car audio system, and drive the soundtrack of your life.



CD Receivers with DAB Tuner







Variable-Colour Illumination



CD Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input



















KD-DB67

CD Receiver with Front USB/AUX Input













KW-DB92BT

CD Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input















3-Zone Variable-Colour

DAB+/DMB-Audio

Search Artist/Album/Song.

manual procedure to worry about.

[KD-DB97BT/DB67, KW-DB92BT]



Built-in DAB tuner lets you enjoy digital radio broadcast from DAB+/DMB-Audio stations with the included aerial

Simply connect your Android smartphone or tablet to the receiver via USB

and enjoy a totally "plug and play" music playback solution. The Android

Open Accessory Protocol (AOA2) is supported so absolutely no preparation or set-up is necessary - just plug it in and it's ready to play audio files stored

on your Android device in what's called "AUDIO MODE". Or, by installing the free JVC Music Play app available on Google Play, you'll be able to access

"AUTO MODE" for added functionality including Folder Up & Down, and

iPhone®/Android™ Bluetooth Automatic Pairing

Just connect your iPhone or Android device* via USB and the automatic

Bluetooth pairing function will work to complete the pairing. No complicated

Seamless Blending

IKD-DB97BT/DB67, KW-DB92BT

Normally, DAB is delayed few seconds compared to the FM broadcasting. The unit will delay the FM in order for seamless switch between DAB-FM.

Android™ Music Playback via USB (AUTO MODE/AUDIO MODE)





2 Phones Full-Time Connection

You can connect two phones full time via Bluetooth, with secure and simple pairing. Calls to either phone can be received by a push of a key on the head unit.

Bluetooth AVRCP1.5 for Versatile Song Selection

In addition to repeat and random playback of music files, you can also easily search for songs using the browsing function. Just look for and choose the song you want to hear from the folder name and song name lists.

Bluetooth Hands-Free Profile 1.6

HPF 1.6 Wideband Speech is supported, so you can now enjoy hands-free phoning convenience together with higher voice quality and improved noise reduction.

High Current 1.5A Charging



Rapidly charge your Android smartphone using the USB port, with up to a maximum of 1.5A.

3-Zone Variable-Colour Illumination




You can mix the front panel illumination using 32 colours, separated into 3 zones. 50 preset patterns are available for easy customisation.



Versatile Sound Adjustment Features

K2 reproduces the original master sound by expanding the bit rate and frequency range. K2 is compatible with all sources,





Sound Lift

Virtually manipulate the height of the speakers by adjusting the sound frequencies.

Sound Response

Boosts the low frequencies which can be lost during compression to MP3 or

LEVEL 3

LEVEL 2

LEVEL 1

KZ

A virtual surround technology using 2 speakers. Just select the vehicle size, and the head unit automatically adjusts the sound effectively.

MEDIUM

Volume Link EQ

Boosts specific frequencies in the audio signal to compensate for the impact of road noise. It boosts frequencies in the music that are affected by road noise.

13-Band Equaliser

Use the 13-Band Equaliser to manually adjust the sound to



Please visit the JVC Support Site for further information including firmware update. http://www.ivc.net/cs/car/



KD-X230

1-DIN CD Receivers



KD-R971BT

CD Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input

















3-Zone Variable-Colour



KD-R871BT

CD Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input





















KD-R671

CD Receiver with Front USB/AUX Input























CD Receiver with Dual AUX Input



CD Receiver with Front USB/AUX Input

KD-R471 / R472

KD-R331 / R332

Digital Media Receivers



KD-X330BT

Digital Media Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input

















Digital Media Receiver with Front USB/AUX Input





2-DIN CD Receivers

FLAC Graphic EQ Steering Remote Ready



KW-R920BT

CD Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input























3-Zone Variable-Colour















Please visit the JVC Support Site for further information including firmware update. http://www.jvc.net/cs/car/



















CS-DR6201MW 16cm 2-Way Coaxial Speakers

Water-Resistant Design with High Output

- UV resistant grilles
- Composite speaker baskets • Stainless steel hardware
- 50W RMS high power*
- Grille with a large open area

Peak Power	150W
RMS Power at 4Ω*	50W
Frequency Response*	60Hz – 18.4kHz
*0540001	

RMS Power at 4Ω*	50W
Frequency Response*	60Hz - 18.4kHz
*CEA2031	



	Variable Colour Illumination	Android Music Playback via USB	iPod/iPhone Music Playback	Built-in Bluetooth	Siri Eyes Free Mode for iPhone	Android / iPhone Automatic Bluetooth Pairing	USB Port	USB Audio Format	AUX-IN
KD-DB97BT	• (1-Zone)	(AUTO MODE*/ AUDIO MODE)	•	Audio Streaming	•	(via USB)	Front (1.5A)	MP3/WMA/WAV/ FLAC	Front x 1
KD-DB67	-	(AUTO MODE*/ AUDIO MODE)	•	-	-	-	Front (1.0A)	MP3/WMA/WAV/ FLAC/AAC	Front x 1
KW-DB92BT	(3-Zone)	(AUTO MODE*/ AUDIO MODE)	•	Audio Streaming	•	(via USB)	Front (1.5A)	MP3/WMA/WAV/ FLAC	Front x 1
KD-R971BT	(3-Zone)	• (AUTO MODE*/ AUDIO MODE)	•	Audio Streaming	•	(via USB)	Front (1.5A)	MP3/WMA/WAV/ FLAC	Front x 1
KD-R871BT	-	(AUTO MODE*/ AUDIO MODE)	•	Audio Streaming	•	(via USB)	Front (1.5A)	MP3/WMA/WAV/ FLAC	Front x 1
KD-R671	-	(AUTO MODE*/ AUDIO MODE)	•	=	-	-	Front (1.0A)	MP3/WMA/WAV/ FLAC	Front x 1
KD-R471/R472	-	(AUTO MODE*/ AUDIO MODE)	-	-	-	-	Front (1.0A)	MP3/WMA/WAV/ FLAC	Front x 1
KD-R331/R332	-	-	_	=	-	_	-	-	Front x 1/Rear x 1
KD-X330BT	-	(AUTO MODE*/ AUDIO MODE)	•	Audio Streaming	•	(via USB)	Front (1.5A)	MP3/WMA/WAV/ FLAC	Front x 1
KD-X230	-	(AUTO MODE*/ AUDIO MODE)	•	=	-	-	Front (1.0A)	MP3/WMA/WAV/ FLAC	Front x 1
KW-R920BT	(3-Zone)	(AUTO MODE*/ AUDIO MODE)	•	Audio Streaming	•	(via USB)	Front (1.5A)	MP3/WMA/WAV/ FLAC	Front x 1
KW-R520	(1-Zone)	(AUTO MODE*/ AUDIO MODE)	-	-	-	-	Front (1.0A)	MP3/WMA/WAV/ FLAC	Front x 1
KD-X33MBT	-	• (AUTO MODE*/ AUDIO MODE)	•	Audio Streaming	•	(via USB)	Front (1.5A)	MP3/WMA/WAV/ FLAC	Front x 1

	Audio Preout	K2 Technology	EQ/Preset EQ	MOS-FET AMP 50W x 4	Tuner FM/AM/ Radio Data System	DAB Tuner Built-in	Steering Wheel Remote Ready	Detachable Panel	Remote Control
KD-DB97BT	3-Pre Out (4.0V)	•	13-Band/ 8-Preset	•	•	•	•	•	-
KD-DB67	2-Pre Out (2.5V)	-	3-Band Parametric/ 12-Preset	•	•	•	•	•	-
KW-DB92BT	3-Pre Out (4.0V)	•	13-Band/ 8-Preset	•	•	•	•	-	-
KD-R971BT	3-Pre Out (4.0V)	•	13-Band/ 8-Preset	•	•	=	•	•	-
KD-R871BT	2-Pre Out (4.0V)	•	13-Band/ 8-Preset	•	•	-	•	•	-
KD-R671	2-Pre Out (2.5V)	-	3-Band Parametric/ 12-Preset	•	•	-	•	•	-
KD-R471/R472	1-Pre Out (2.5V)	-	3-Band Parametric/ 12-Preset	•	•	-	•	•	-
KD-R331/R332	1-Pre Out (2.5V)	-	3-Band Parametric/ 6-Preset	•	•	-	-	•	-
KD-X330BT	2-Pre Out (4.0V)	•	13-Band/ 8-Preset	•	•	-	•	•	-
KD-X230	1-Pre Out (2.5V)	-	3-Band Parametric/ 12-Preset	•	•	=	•	•	-
KW-R920BT	3-Pre Out (4.0V)	•	13-Band/ 8-Preset	•	•	-	•	-	-
KW-R520	1-Pre Out (2.5V)	-	3-Band Parametric/ 12-Preset	•	•	=	•	-	-
KD-X33MBT	3-Pre Out (4.0V)	•	13-Band/ 8-Preset	•	•	-	•	•	Ready (RM-RK52P required)

^{*} Requires JVC Music Play Application. For Android ver. 4.1 and above

Please visit the JVC Support Site for further information including firmware update. http://www.jvc.net/cs/car/




Sense Every Sound, Feel Every Beat


DR Series Speakers

Carbon Mica Cone

DR Series Speakers



Small-Design Tweeter Cover



J Series Speakers



G Series Subwoofer

	CS-GD1210
Peak Power	1400W
RMS Power at 4Ω	400W
Frequency Response	20Hz - 2,000Hz
Surround	Butyl Rubber

V Series Speakers



CS-V618 16cm Dual Cone Speakers

CS-V518

13cm Dual Cone Speakers

CS-V418

10cm Dual Cone Speakers

	CS-V618	CS-V518	CS-V418	
Peak Power	230W	200W	180W	
RMS Power at 4Ω	30W	25W	20W	
requency Response	42Hz - 20kHz	52Hz - 20kHz	70Hz - 20kHz	



CS-DR6940

15 x 23cm 4-Way Coaxial Speakers

CS-DR1720 17cm 2-Way Coaxial CS-DR6930

15 x 23cm 3-Way Coaxial Speakers

CS-DR6940

CS-DR520

13cm 2-Way Coaxial

CS-DR6820

CS-DR6930

500W

15 x 20cm 2-Way Coaxial Speakers

CS-DR420

10cm 2-Way Coaxial Speakers

	CS-JS600 16cm 2-Way Component Speakers
TANKS TANKS TO THE	THE STATE OF THE S



CS-J6930 15 x 23cm 3-Way Coaxial Speakers



CS-J6820 15 x 20cm 2-Way Coaxial Speakers (without Speaker Grille)



17cm 2-Way Coaxial Speakers (without Speaker Grille)

CS-J620 16cm 2-Way Coaxial Speakers

CS-J620X

16cm 2-Way Coaxial Speakers (without Speaker Grille)

CS-J610 16cm Dual Cone Speakers

CS-J610X 16cm Dual Cone Speakers

(without Speaker Grille)

CS-J520X 13cm 2-Way Coaxial Speakers (without Speaker Grille)

CS-J420X 10cm 2-Way Coaxial Speakers (without Speaker Grille)

CS-J510X

13cm Dual Cone Speakers (without Speaker Grille)

CS-J410X

10cm Dual Cone Speakers (without Speaker Grille)

	CS-J1720X	CS-JS600	CS-J6930	CS-J6820	CS-J620/J620X	CS-J520X	CS-J420X	CS-J610/J610X	CS-J510X	CS-J410X
Peak Power	300W	300W	400W	250W	300W	250W	210W	300W	250W	210W
RMS Power at 4Ω	30W	30W	45W	30W	30W	30W	21W	30W	30W	21W
Frequency Response	30Hz - 22kHz	35Hz - 22kHz	30Hz - 22kHz	35Hz - 22kHz	35Hz - 22kHz	40Hz - 22kHz	45Hz - 22kHz	35Hz - 20kHz	40Hz - 20kHz	45Hz - 20kHz

Subwoofer _

CS-BW120 30cm BOX Subwoofer



	CS-BW120		
Peak Power	1300W		
RMS Power at 4Ω	150W		
Frequency Response	37Hz - 2,500Hz		
Surround	High-Density Foam		

Frequency Response

DR Series Amplifiers

Peak Power

RMS Power at 4Ω*



CS-DR1700C

KS-DR3001D Mono Class-D Amplifier

CS-DR6820

300W

KS-DR3002

CS-DR1720

300W

2-Channel Power Amplifier

CS-DR520

260W

KS-DR3004 4-Channel Power Amplifier

CS-DR1720

CS-DR420

220W

	KS-DR3001D	KS-DR3002	KS-DR3004							
Channels	Mono	2-ch	4-ch							
Max Power	800W	400W	800W							
RMS Power (2Ω)	400W x 1	90W x 2	90W x 4							
RMS Power (4Ω)	250W x 1	65W x 4	60W x 4							
Bridged (4Ω)	-	180W x 1	180W x 2							
Frequency Response	20Hz - 200Hz	5Hz - 50kHz	5Hz - 50kHz							

- All screen pictures in this catalogue are simulated.

 iPods, iPhones, Android smartphones or any other accessories shown in this catalog are not supplied, and must be purchased separately.

 iPods, iPhones, Android smartphones or any other accessory has been designed to connect specifically to iPod, or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with sately and regulatory standards. Please note that the use of this accessory with iPod or iPhone may affect wireless performance.

 iPhone, iPod, iPod classic, iPod nano, iPod touch and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries.

 Lightning is a trademark of Apple Inc.

 The Android robot is reproduced or modified from work created and shared by Google and used according to terms described in the Creative Commons 3.0 Attribution License.

- Android, the Android logo, Google Play™, and the Google Play™ logo are registered trademarks or trademarks of
- Altorium, the Annoton logo, Google Play**, and the Google Play** logo are registered traderlarks or the traderlarks or trader

Design and specifications subject to change without notice.

The photos of the products featured in this brochure may not be of actual products that are available in your country.

Copyright © 2016, JVCKENWOOD Corporation. All Rights Reserved.



DISTRIBUTED BY